STATISTICS – TRAILER The Issue

94% of Children with Cancer survive: the risk of recurrence over time is also related to the food they usually eat.


THE QUESTION:

What children with cancer eat compared to age matched controls ? 3 Days - Food Questionnaire


Our Sample of Children

	Frequency	Percentage	Valid Percentage	
CANCER	40	50,0	50,6	
HEALTHY	39	48,8	49,4	
Total	79	98,8	100,0	
Missing	1	1,3		
Grand Total	80	100,0		


Median Consumption of Fats




Median Consumption of Carbohydrates



Median Consumption of Fiber



Median Consumption of Vitamin E



Mean Consumption of Nutrients

	umption ody Wt	N	Mean	Standard Deviation	Standard Error of the mean
Calories	CANCER	39	45,2345	26,26246	
	HEALTHY	38	55,9688	29,65477	4,81064
Proteins	CANCER	39	1,9326	1,39937	,22408
	HEALTHY	38	2,2961	1,28703	,20878
Fats	CANCER	39	1,5974	,92281	,14777
	HEALTHY	38	2,2961	1,28703	,20878
Carbohydra tes	aCANCER	39	6,1877	3,94399	,63154
	HEALTHY	38	2,6118	1,52613	,24757
Fibers	CANCER	39	,3647	,27902	,04468
	HEALTHY	38	1,5650	,84931	,13778
Vitamin E	CANCER	40	4,2708	1,93293	,30562
	HEALTHY	39	11,6487	2,38260	,38152

Student t Test for Equality of Means

				Differeces	Standard
Variables	t	df	p (two tails)	between means	Error of Diff.
Calories	-1,683	75	,097	-10,73432	6,37947
Proteins	-1,186	75	,240	-,36348	,30661
Fats	-2,743	75	,008	-,69867	,25471
Carbohydrates	5,221	75	,000	3,57589	,68497
Fiber	-8,375	75	,000	-1,20030	,14331
Vitamin E	-15,133	77	,000	-7,37797	,48755

Pearson 'r' Correlations Coefficient among Nutrients

					Carbohydrat		
		Calories	Proteins	Fats	es	Fiber	Vitamin E
Calories	r	1	,907	,895	,614	,681	,131
	р		,000	,000	,000	,000	,256
	Ν	77	77	77	77	77	77
Proteins	r	,907	1	,882	,568	,549	,063
	р	,000		,000	,000	,000	,585
	Ν	77	77	77	77	77	77
Fats	r	,895	,882	1	,361	,665	,200
	р	,000	,000		,001	,000	,081
	Ν	77	77	77	77	77	77
Carbohyd	r	,614	,568	,361	1	-,030	-,413
rates	р	,000	,000	,001		,795	,000
	Ν	77	77	77	77	77	77
Fiber	r	,681	,549	,665	-,030	1	,557
	р	,000	,000	,000	,795		,000
	Ν	77	77	77	77	77	77
Vitamin E	r	,131	,063	,200	-,413	,557	1
	р	,256	,585	,081	,000	,000	
	Ν	77	77	77	77	77	79

CONCLUSIONS (preliminary)

- Children with Cancer appear to consume :
- - less fats and more carbohydrates
- - much less fiber and Vitamin E than Controls
- The reduced consumption of Vitamin E appears to be related to the excess of Carbohydrates and to the reduced consumption of Fiber. ...
- + MORE WORK IS NEEDED!!!!